

Publikationen

Dr. med. Sören Siegmund

- Vollmar B, Wolf B, Siegmund S, Katsen AD, Menger MD. Lymph vessel expansion and function in the development of hepatic fibrosis and cirrhosis. *Am J Pathol* 1997; 151:169-175.
- Vollmar B, Siegmund S, Menger MD. An intravital fluorescence microscopic study of hepatic microvascular and cellular derangements in developing cirrhosis in rats. *Hepatology* 1998; 27:1544-1553.
- Vollmar B, Siegmund S, Richter S, Menger MD. Microvascular consequences of Kupffer cell modulation in rat liver fibrogenesis. *J Pathol* 1999; 189:85-91.
- Spanagel R, Siegmund S, Cowen M, Schroff KC, Schumann G, Fiserova M, Sillaber I, Wellek S, Singer MV, Putzke J. The neuronal nitric oxide synthetase (nNOS) gene is critically involved in neurobehavioral effects of alcohol. *J Neurosci* 2002; 22(19):8676–8683.
- Siegmund S, Teysse S, Singer MV. Alcohol-associated organ damage. Health sequelae caused by moderate alcohol drinking. *Internist* 2002; 43:287-293.
- Siegmund S, Haas S, Schneider A, Singer MV. Animal models in gastrointestinal alcohol research – A short appraisal of the different models and their results. *Best Pract Res Clin Gastroenterol* 2003; 17(4):519-542.
- Vengeliene V, Siegmund S, Singer MV, Sinclair JD, Li TK, Spanagel R. A comparative study on alcohol-preferring rat lines: effects of deprivation and stress phases on voluntary alcohol intake. *Alcohol Clin Exp Res* 2003; 27(7):1048-1054.
- Siegmund S, Spanagel R, Singer MV. Role of the brain-gut axis in alcohol-related gastrointestinal diseases - What can we learn from new animal models? *J Physiol Pharmacol* 2003; 54 Suppl 4, 191-207.
- Siegmund SV, Uchinami H, Osawa Y, Brenner DA, Schwabe RF. Anandamide induces necrosis in primary hepatic stellate cells. *Hepatology* 2005; 41(5):1085-1095.
- Siegmund S, Vengeliene V, Singer MV, Spanagel R. Influence of age at drinking onset on long-term ethanol self-administration with deprivation and stress phases. *Alc Clin Exp Res* 2005; 29(7):1139-1145.
- Apte MV, Zima T, Dooley S, Siegmund SV, Pandol SJ, Singer MV. Signal transduction in alcohol-related diseases. *Alc Clin Exp Res* 2005; 29(7):1299-1309.
- Siegmund SV, Singer MV. Wirkungen von Alkohol auf den oberen Gastrointestinaltrakt und das Pankreas – Eine aktuelle Übersicht. *Z Gastroenterol* 2005; 43:723-736.
- Schwabe RF, Siegmund SV. Potential role of CB2 receptors in Cannabis smokers with chronic hepatitis C. *Hepatology* 2005; 42(4):975-976.
- Siegmund SV, Brenner DA. Molecular pathogenesis of alcohol-induced hepatic fibrosis. *Alcohol Clin Exp Res* 2005; 29: 102S-109S.
- Siegmund SV, Haas SL, Singer MV. Animal models and their results in gastrointestinal alcohol research. *Dig Dis* 2005; 23(3-4):181-194.
- Siegmund SV, Dooley S, Brenner DA. Molecular mechanisms of alcohol-induced hepatic fibrosis. *Dig Dis* 2005; 23(3-4):264-274.
- Siegmund SV, Seki E, Osawa Y, Uchinami H, Cravatt BF, Schwabe RF. Fatty Acid Amide Hydrolase Determines Anandamide-Induced Cell Death in the Liver. *J Biol Chem* 2006; 281(15):10431-10438.
- Osawa Y, Seki E, Adachi M, Taura K, Kodama Y, Siegmund SV, Schwabe RF, Brenner DA. Systemic mediators induce fibrogenic effects in normal liver after partial bile duct ligation. *Liver Int* 2006; 26(9):1138-1147.

- Schneider A, Haas SL, Hildenbrand R, Siegmund S, Reinhard I, Nakovics H, Singer MV, Feick P. Enhanced expression of interleukin-18 in serum and pancreas of patients with chronic pancreatitis. *World J Gastroenterol* 2006; 12(40):6507-6514.
- Svegliati-Baroni G, Candelaresi C, Saccomanno S, Ferretti G, Bachetti T, Marzioni M, De Minicis S, Nobili L, Salzano R, Omenetti A, Pacetti D, Siegmund S, Benedetti A, Casini A. A model of insulin resistance and nonalcoholic steatohepatitis in rats: role of peroxisome proliferator-activated receptor-alpha and n-3 polyunsaturated fatty acid treatment on liver injury. *Am J Pathol* 2006;169(3):846-860.
- Siegmund SV, Qian T, de Minicis S, Harvey-White J, Kunos G, Vinod KY, Hungund B, Schwabe RF. The endocannabinoid 2-arachidonoyl glycerol induces death of hepatic stellate cells via mitochondrial reactive oxygen species. *FASEB J.* 2007; 21(11):2798-2806.
- Siegmund SV, Schwabe RF. Endocannabinoids and liver disease. II. Endocannabinoids in the pathogenesis and treatment of liver fibrosis. *Am J Physiol Gastrointest Liver Physiol.* 2008; 294(2):G357-G362.
- Zimmerer T, Siegmund SV, Singer MV. Das Problem von Compliance und Adhärenz am Beispiel der chronisch entzündlichen Darmerkrankungen. *Dtsch Med Wochenschr* 2009; 134(27):1417-1424.
- Siegmund SV. Alkoholinduzierte Organschäden des Gastrointestinaltrakts. *Schweiz Z Ernährungsmed* 2009; (1):23-30.
- Siegmund SV. Role of the endocannabinoid system in alcoholic liver disease. *Dig Dis.* 2010; 28(6):751-755.
- Schildberg FA, Wojtalla A, Siegmund SV, Endl E, Diehl L, Abdullah Z, Kurts C, Knolle PA. Murine hepatic stellate cells veto CD8 T cell activation by a CD54-dependent mechanism. *Hepatology.* 2011; 54(1):262-272.
- Trebicka J, Racz I, Siegmund SV, Cara E, Granzow M, Schierwagen R, Klein S, Wojtalla A, Hennenberg M, Huss S, Fischer HP, Heller J, Zimmer A, Sauerbruch T. Role of cannabinoid receptors in alcoholic hepatic injury: steatosis and fibrogenesis are increased in CB2 receptor-deficient mice and decreased in CB1 receptor knockouts. *Liver Int.* 2011; 31(6):860-870.
- Wojtalla A, Herweck F, Granzow M, Klein S, Trebicka J, Huss S, Lerner R, Lutz B, Schildberg FA, Knolle PA, Sauerbruch T, Singer MV, Zimmer A, Siegmund SV. The endocannabinoid N-arachidonoyl dopamine (NADA) selectively induces oxidative stress-mediated cell death in hepatic stellate cells but not in hepatocytes. *Am J Physiol Gastrointest Liver Physiol.* 2012 Apr 15;302(8):G873-887.
- Siegmund SV, Wojtalla A, Schlosser M, Zimmer A, Singer MV. Fatty acid amide hydrolase but not monoacyl glycerol lipase controls cell death induced by the endocannabinoid 2-arachidonoyl glycerol in hepatic cell populations. *Biochemical and Biophysical Research Communications* 2013 Jul 19;437(1):48-54.
- Granzow M, Schierwagen R, Klein S, Kowallick B, Huss S, Linhart M, Mazar IG, Görtzen J, Vogt A, Schildberg FA, Gonzalez-Carmona MA, Wojtalla A, Krämer B, Nattermann J, Siegmund SV, Werner N, Fürst DO, Laleman W, Knolle P, Shah VH, Sauerbruch T, Trebicka J. Angiotensin-II type 1 receptor-mediated Janus kinase 2 activation induces liver fibrosis. *Hepatology.* 2014 Jul;60(1):334-48.
- Siegmund SV, Wojtalla A, Schlosser M, Schildberg FA, Knolle PA, Nüsing RM, Zimmer A, Strassburg CP, Singer MV. Cyclooxygenase-2 contributes to the selective induction of cell death by the endocannabinoid 2-arachidonoyl glycerol in hepatic stellate cells. *Biochem Biophys Res Commun.* 2016 Feb 12;470(3):678-84.
- Siegmund SV, Schlosser M, Schildberg FA, Seki E, De Minicis S, Uchinami H, Kuntzen C, Knolle PA, Strassburg CP, Schwabe RF. Serum Amyloid A Induces

Inflammation, Proliferation and Cell Death in Activated Hepatic Stellate Cells. PLoS One. 2016 Mar 3;11(3):e0150893. doi: 10.1371/journal.pone.0150893.

- Schlosser M, Löser, H, Siegmund SV, Montesinos-Rongen M, Bindila L, Lutz B, Barrett DA, Sarmad S, Ortori CA, Grau V, von Brandenstein M, Fries JWU. The endocannabinoid Anandamide, induces cannabinoid receptor-independent cell death in renal proximal tubule cells. CellBio. 2017 6, 35-55. doi: 10.4236/cellbio.2017.64004.